

THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 1: Network Switch.

01	S.#
Bin Aman Traders	Firm Name
Quick Specification 24 port Gigabit Ethernet router/switch with four 10Gbps SFP+ ports in 1U rackmount case, Dual Boot and PoE output, 500W. Details Specification 24 Gigabit Ethernet ports 4 SFP+ ports. RJ45 serial console port. Non-Blocking throughput: 64 Gbps.Switching capacity: 128 Gbps Forwarding rate: 95.2 Mpps• Maximum power consumption: 44 W (without PoE devices connected) • Supports PoE+ IEEE 802.3at/af and 26 V Passive PoE) • Temperature based fan control • 1U rackmount • Selectable power output per port (26 / 53 V) Product Code: CRS328-24P-4S+RM Brand: Mikrotik Origin: Latvian Company Warranty: 2Years	Firm's Specifications
2	Qty
24 Minimum Gigabit Ethernet, 2 SFP+, RJ45 serial console ports Non-Blocking throughput Min: 64 Gbps Switching capacity: 128 Gbps, Forwarding rate: 95.2 Mpps Supports PoE+ IEEE 802.3at/at, Budget 490W Selectable power output per port (26/53 V) SWITCHING FEATURES Non-blocking Layer 2 switching capacity 16K host table, IEEE 802.1 Q VLAN Port isolation, security, mirroring of Traffic STP /RSTP / MSTP neighbor discovery, SNMP IGMP snooping GUI, CLI & Web Interface	Specs as per Tender Document
According to Specification	Recommendation

And M. Page 1 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

	02
	Opells Tech
SFP+, RJ45 serial console ports Non-Blocking throughput Min: 64 Gbps Switching capacity: 128 Gbps, Forwarding rate: 95.2 Mpps Supports PoE+ IEEE 802.3at/af, Budget 490W Selectable power output per port (26/53 V) SWITCHING FEATURES Non-blocking Layer 2 switching capacity 16K host table, IEEE 802.1 Q VLAN Port isolation, security, mirroring of Traffic STP /RSTP / MSTP neighbor discovery, SNMP IGMP snooping GUI, CLI & Web Interface Model: CRS-328-24P-4S-RM	24 Minimum Gigabit Ethernet,2
	01
According to Specification	

Page 2 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

iFAST CPU QCA9531 CPU nominal frequency 650 MHz solutions Dimensions 443 x 200 x 44 mm License level 5 Operating System RouterOS or SwitchOS Size of RAM 64 MB Storage size 16 MB 10/100 Ethernet ports 1 SFP+ ports 24 Number of 40G QSFP+ ports Brand: MICROTIK Model: CSR-328-24P-4S-RM Origin:LATVIA	ons on the second	CPU QCA9531 CPU nominal frequency 650 MHz Dimensions 443 x 200 x 44 mm License level 5 Operating System RouterOS or SwitchOS Size of RAM 64 MB Storage size 16 MB 10/100 Ethernet ports 1 SFP+ ports 24 Number of 40G QSFP+ ports Brand: MICROTIK Model: CSR-328-24P-4S-RM Origin:LATVIA	CPU QCA9531 CPU nominal frequency 650 MHz Dimensions 443 x 200 x 44 mm License level 5 Operating System RouterOS or SwitchOS Size of RAM 64 MB Storage size 16 MB 10/100 Ethernet ports 1 SFP+ ports 24 Number of 40G QSFP+ ports Brand: MICROTIK Model: CSR-328-24P-4S-RM Origin:LATVIA	CPU QCA9531 CPU nominal frequency 650 MHz Dimensions 443 x 200 x 44 mm License level 5 Operating System RouterOS or SwitchOS Size of RAM 64 MB Storage size 16 MB 10/100 Ethernet ports 1 SFP+ ports 24 Number of 40G QSFP+ ports Brand: MICROTIK Model: CSR-328-24P-4S-RM Origin:LATVIA
CPU QCA9531 CPU nominal frequency 650 MHz Dimensions 443 x 200 x 44 mm License level 5 Operating System RouterOS or SwitchOS Size of RAM 64 MB Storage size 16 MB 10/100 Ethernet ports 1 SFP+ ports 24 Number of 40G QSFP+ ports Brand: MICROTIK Model: CSR-328-24P-4S-RM Origin:LATVIA	Ifrequency 650 MHz Ifrequency 650 MHz 43 x 200 x 44 mm 5 Stem RouterOS or 4 MB 6 MB 6 MB let ports 1 OG QSFP+ ports DTIK 28-24P-4S-RM	Ifrequency 650 MHz Ifrequency 650 MHz 43 x 200 x 44 mm 5 Stem RouterOS or 4 MB 6 MB 6 MB let ports 1 OG QSFP+ ports DTIK 28-24P-4S-RM	frequency 650 MHz frequency 650 MHz 43 x 200 x 44 mm 5 stem RouterOS or 4 MB 6 MB het ports 1 OG QSFP+ ports DTIK 28-24P-4S-RM	Ifrequency 650 MHz Ifrequency 650 MHz 43 x 200 x 44 mm 5 Stem RouterOS or 4 MB 6 MB 6 MB let ports 1 OG QSFP+ ports DTIK 28-24P-4S-RM
	01	01	01	01

Page 3 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 2: Server Computer.

Bin Aman Server Computer Traders Product Code-1: CCR1036-8G-2S+EM With CPU TLR4-03680 Brand: Mikrotik Origin: Latvian Company Warranty: 2Years Software Code-2: SAS3-Radius Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR-1036-8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD, 36 cores x 1.2GHz CPU, 8GB RAM, 41.5mpps fastpath, Up to 28Gbit/s throughput, RouterOS L6, Dual PSU Operating System: RouterOS with Firewall, Routing, MPLS, VPN, Wireless, Hotspot, Quality of service,NASs Portals, Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:	S. #	Firm Name	Firm's Specifications	Qty	Specs as per Tender Document
7770750770FN	01	Bin Aman	Server Computer	01	Product Description
CCR1036-8G-2S+EM With CPU TLR4-03680 Brand: Mikrotik Origin: Latvian Company Warranty: 2Years Software Code-2: SAS3-Rad Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR- 8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service,NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor		Traders	Product Code-1:		Multi Core Processor Specification
Brand: Mikrotik Origin: Latvian Company Warranty: 2Years Software Code-2: SAS3-Rad Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR-8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor			CCR1036-8G-2S+EM		Powerful Processor Cores
Origin: Latvian Company Warranty: 2Years Software Code-2: SAS3-Rad Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR- 8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Brand: Mikrotik		Minimum 36 cores at frequencies up to
Warranty: 2Years Software Code-2: SAS3-Rad Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR-8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router(L6, Dual PSU) Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Origin: Latvian Company		64-bit architecture (data noth and
Software Code-2: SAS3-Rad Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR-8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Warranty: 2Years		address)
Brand: SAS Radius Origin: Iraq Support: 2years Quick Specification of CCR- 8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Software Code-2: SAS3-Radius		Minimum Triple execution pipelines
Support: 2years Support: 2years Quick Specification of CCR- 8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router(L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Brand: SAS Radius		Support Instruction Set
Quick Specification of CCR-8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor			Origin: Iraq		(ISA) extensions for
8G-2S+EM: 1U rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Raddius Server:			Quick Specification of CCR-1034-		Multimedia and SIMD
IU rackmount, 8x Gigabit Ethernet, 2xSFP+ cages, LCD cores x 1.2GHz CPU, 8GB RA, 41.5mpps fastpath, Up to 28Gbit/s throughput, Routerd L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			8G-2S+EM:		Minimum 12 Mbytes total on-ohio
cores x 1.2GHz CPU, 8GB RA 41.5mpps fastpath, Up to 28Gbit/s throughput, Router L6, Dual PSU Operating System: RouterOS with Firewall, Routin MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Raddius Server:			1U rackmount, 8x Gigabit		cache (DDCT)
A1.5mpps fastpath, Up to 28Gbit/s throughput, Routerd L6, Dual PSU Operating System: RouterOS with Firewall, Routing MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Processor Radius Server:			Ethernet, 2xSFP+ cages, LCD, 36		Minimum 32 KB Lli, 32K Lld per core, 256
41.5mpps fastpath, Up to 28Gbit/s throughput, Routerd L6, Dual PSU Operating System: RouterOS with Firewall, Routing MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Processor Radius Server:			cores x 1.2GHz CPU, 8GB RAM,		KB L2 per core
Operating System: RouterOS with Firewall, Routing MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Processor Radius Server:			41.5mpps fastpath, Up to		Minimum 9 MB coherent L3 cache, per
Operating System: RouterOS with Firewall, Routing MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Portal Web proxy & Tools MultiCore Processor (Built-In in CCR) Processor Radius Server:			28Gbit/s throughput, RouterOS		core iMesh Interconnect
RouterOS with Firewall, Routir MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Co, Dudi Psu		Supports Minimum Five independent
MPLS, VPN, Wireless, Hotspot, Quality of service, NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:		No.	RouterOS with Firewall Routing		low-latency mesh networks
Quality of service,NASs Porta Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			MPLS, VPN, Wireless, Hotspot,		Server Computer RADIIIS SERVER
Web proxy & Tools MultiCore Processor (Built-In in CCR) Prdocuct Code: TILE-Gx36 Processor Radius Server:			Quality of service, NASs Portals,		RSOFTWARE
Processor Processor Radius Server:			Web proxy & Tools		Radius AAA Authentication Platform
Prdocuct Code: TILE-Gx36 Processor Radius Server:			MUITICORE Processor (Built-In in	-	RADIUS Client Setup
Radius Server:			ordocuct Code: TILE-Gx36	(0.	Server OS.
Radius Server:		1 7	rocessor	_	Data Management Portal, Bandwigth
1		7	adilus server:	-	Manager

Sand sales

STORY IN

Page 4 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

	02	
T' S' T O Z O Z O Z O Z O Z	Opells Tech	
Multi Core Processor Specification Powerful Processor Cores Minimum 36 cores at frequencies up to 1.2 GHz 64-bit architecture (data path and address) Minimum Triple execution pipelines Support Instruction Set Architecture (ISA) extensions for Multimedia and SIMD processing Cache Minimum 12 Mbytes total on-chip cache (DDCT) Minimum 32 KB Lli, 32K Lld per core, 256 KB L2 per core Minimum 9 MB coherent L3 cache, per core iMesh Interconnect Supports Minimum Five independent low-latency mesh	SERVER COMPUTER:	SAS3-Radius is ISP management Server with features Web Based Interface, Secure, Multilingual, SAS3 supports Mikrofik & CISCO unlimited NASs, Import & Export, Reports & Charts, Import & Export, Reports & Charts, Dynamic Rafe Control, Data Quota, Online Updates & Maintenance
	01	
	fast path: 41.5mpps, Minimum throughput: 28Gbit/s	Services PPP, PTP, DHCP, PPPOE, PPTP, L2TP, ISDN Log IN/OUT Popup Page with Customization User web Portal for Minimum 3000 Subscribers FEATURES: 1U rack mount, Minimum 8x Gigabit
According to specification		

Salian Comment

9

Page 5 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

		B	- AI () -	7 (2)		100						
		fast path: 41.5mpps, Minimum throughput: 28Gbit/s BRAND: MIKROTIK	1U rack mount, Minimum 8x Gigabit Ethernet, 2xSFP+ cages, RAM: 8GB	Subscribers FEATURES:	Log IN/OUT Po Customization User web Porto	Services PPP, PTP, DHCP, PPPOE, PPTP, L2TP, ISDN	Data Management F Bandwidth Manager	with Server OS,	Traffic	Platform	Server Comp RSOFTWARE	da 105
		h: 41.5r put: 28 MIKR(mount Ethern GB	Ders ES:	OUI Po	s PPP, 2TP, ISD	Aanage Aidth M	erver O	S Clien: Firewa	m AAA	Comp	60 Tbps aggregate bandwidth
,		mpps, Gbit/s OTIK	t, Minin let, 2xS	0 V	pup P	PTP, DF	ement	S	RADIUS Client Setup Traffic Firewall Web	Juthen	outer R	egate
1		Minimu	num 8x FP+ cc	VIDITION	Log IN/OUT Popup Page with Customization Jser web Portal for Minimum /	ICP, PI	Data Management Portal, Bandwidth Manager	Troy,	RADIUS Client Setup Traffic Firewall Web Proxy, NAS	RADIUS AAA Authentication Platform	ADIUS ?	band
		m	iges,	n 3000	;	PPOE,	3.51	700	NAS	٦	Server Computer RADIUS SERVER RSOFTWARE	width ■
											01	
,												
)												
/												

Page 6 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

		03 iFAST solutions
Serial port RJ45 Number of USB ports 1 USB Power Reset Yes USB slot type USB type A Max USB current (A) 1 Brand: MICROTIK Model: CCR 1036-8G-2S+EM Origin: LATVIA	License level 6 Operating System RouterOS Size of RAM 8 GB Storage size 1 GB Storage type NAND Tested ambient temperature - 20°C to 60°C Number of AC inputs 2 AC input range 100-240 Max power consumption 73 W 10/100/1000 Ethernet ports 8 SFP DDMI Yes SFP+ ports 2 Memory Cards 1 Memory Cards 1	CPU TLR4-03680 CPU core count 36
		01
		According to specification

A STATE OF THE PARTY OF THE PAR

Pag

Page 7 of 375



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 3: Laptop.

OPELLS Model: 3593 (10° TECH Processor 1.0 G turbo frequenc: L3 cache 6MB o 10th Gen or hig RAM 8GB DDR4 HDD 1TB	Dell Inspir Traders Traders Traders Traders Traders Traders Tra HDD Processor Processor Processor Hard driv Installed Screen six Operatin Dos L3 cache Product C 55700 Brand: Dell Warranty: 1 Year	S.# FIIII NOTITE
Brand: DELL INSPIRON 15 Model: 3593 (10 th Generation) Intel Core i5 Processor 1.0 GHZ or higher with turbo frequency boost max 3.6 GHz L3 cache 6MB or More 10th Gen or higher RAM 8GB DDR4 HDD 1TB	Dell Inspiron 15 5570 Core i5 8th Generation Laptop 8GB DDR4 1TB HDD Processor Type Core i5 Processor Speed 3.4 GHz Hard drive size 1TB Installed RAM 8GB Screen size 15.6 Operating system (Primary) Dos L3 cache 6 MB Product Code: Inspiron 15 55700 Brand: Dell Warranty:	rirm's specifications
01	9	Qly
warranty	Intel Core i5 Processor 1.0 GHZ or higher with turbo frequency boost max 3.6 GHz L3 cache 6MB or More 10th Gen or higher RAM 8GB DDR4 HDD 1TB Display 15.6 " or higher Carrying case Onsite/parts/labour 1 year Local	Specs as per Tender Document
According to specification	Below Specifications a) Low processing speed b) Older generation (8 th generation quoted) c) Carry Case missing	Recommendations

Page 8 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Onsite/parts/labour 1 year Local warranty Model: ThinkPad E480 Brand: LENOVO Origin: China Solutions SATA 5400rpm,2 GB AMD Radeon™ RX 550, 14" FHD Anti-glare, Y-FPR, 3 Cell 65W 13.51 hrs, Backlit US Style K/B + numeric keypad, WIFI 1x1 AC + BT 4.1, 2x USB 3.1, 1x USB Type-C 3.1, HDMI, RJ-45 LAN, HD 720P Stereo Speaker 2x 1.5W Dual MIC, Windows 10 with OCT Channel Warranty	Onsite/parts/labour 1 year Local warranty Model: ThinkPad E480 Brand: LENOVO Origin: China Ci5 8250U, 8GB DDR4 2400,1TB SATA 5400rpm,2 GB AMD RadeonTM RX 550, 14" FHD Anti-glare, Y-FPR, 3 Cell 65W 13.51 hrs, Backlit US Style K/B + numeric keypad, WIFI 1x1 AC + BT 4.1, 2x USB 3.1, 1x USB Type-C 3.1, HDMI, RJ-45 LAN, HD 720P Stereo Speaker 2x 1.5W Dual MIC, Windows 10 with OCT Channel Warranty	Onsite/parts/labour 1 year Local warranty Model: ThinkPad E480 Brand: LENOVO Origin: China Ci5 8250U, 8GB DDR4 2400,1TB SATA 5400rpm,2 GB AMD RadeonTM RX 550, 14" FHD Anti-glare, Y-FPR, 3 Cell 65W 13.51 hrs, Backlit US Style K/B + numeric keypad, WIFI 1x1 AC + BT 4.1, 2x USB 3.1, 1x USB Type-C 3.1, HDMI, RJ-45 LAN, HD 720P Stereo Speaker 2x 1.5W Dual MIC, Windows 10 with OCT Channel Warranty	8	
P () + IB	P C + TB	P () + B	iFAST solutions	
01	01	07	Model: ThinkPad E480 Brand: LENOVO Origin: China Ci5 8250U, 8GB DDR4 2400,1TB SATA 5400rpm,2 GB AMD Radeon™□ RX 550, 14" FHD Anti-glare, Y-FPR, 3 Cell 65W 13.51 hrs, Backlit US Style K/B + numeric keypad, WIFI 1×1 AC + BT 4.1, 2x USB 3.1, 1x USB Type-C 3.1, HDMI, RJ-45 LAN, HD 720P Stereo Speaker 2x 1.5W Dual MIC, Windows 10 with OCT Channel Warranty	Onsite/parts/labour 1year Local warranty
			0]	

Sark see

Page 9 of 37

2) phological



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 4: Branded Desktop Computer.

		02									01	S. #
		OPELLS								Traders	Bin Aman	Firm Name
HDD 1Tb Gigabit 10/100/1000 LAN 1G WLAN adapters standard LED screen with Mouse and Keyboard Onsite/parts/labor 1year Local	Intel Core i5 8th Gen or higher Processor 3.2 Minimum L3 cache 6MB or More RAM 8GR DDB/	Brand: DELL Model: OPTIPLEX 3070 (9th Generation) Mini Tower	Warranty:	Brand:	Product Code: Dell Optiplex 3060	standard LED screen with Mouse	RAM 8GB DDR4 HDD 1Tb	L3 cache 6MB	Intel Core i5	8GB DDR4 1TB HDD	Generation Desktop Computer	Firm's Specifications
		01									01	Qty
	Keyboard Onsite/parts/labour 1year Local warranty	Gigabit 10/100/1000 LAN 1G WLAN adapters standard LED screen with Mouse and	HDD ITb	L3 cache 6MB or More	8th Gen or higher Processor 3.2 Minimum	Intel Core i5						Specs as per Tender Document
	According to specification						370000	Low processing	pelow specifications	Bolow Sponifications		Recommendations

Page 10 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 921 6604

																				2			
																			solutions	IFASI	7		
Mouse	, Includes Lenovo Keyboard and	DisplayPort, 1 x HDMI, Windows 10	Parallel, RJ-45, 1 x VGA, 1 x	Gen1, 2 x USB 2.0, 1 x Serial, 1 x	Headphone, Rear: 2 x USB 3.1	3.1 Gen 1, 1 x Mic, 1 x	Front: 2 x USB 3.1 Gen 2, 4 x USB	Gigabit Ethernet, Connectivity:	1.5W Speaker, Realtek RTL8111HN	Drive, Intel UHD Graphics 630, 1 x	1TB 7200RPM Hard Drive, DVD-RW	$(1 \times 4GB, 1 \text{ slot free}, 32GB \text{ Max}),$	6 cores), 8GB DDR4 2666MHz RAM	Cache, 2.80 GHz, up to 4.00 GHz,	Intel Core i5-8400 Processor (9M	(10TV002JSA) - 8th Generation	Core i5 Tower Desktop PC	Origin: China	Middel, VSSO	Model: V530	Brand: LENOVO	And purposes the second section of the section of the second section of the sect	warranty
																					01		
													speed	b) Low Processing	a) WIAN missing	100 Hotel Brown 100 Hotel	Below Specification						

Saked when I

Page 11 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 5: Access point.

												01	·#
											IIddels	Bin Aman	Firm Name
Wireless Security WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AFS) 802 11w/PMF	802.11 a/b/g/n/r/k/v/ac/ac- wave2	Polarity 3 dBi 5 GHz (2) Dual-Port, Dual-Polarity , 4 dBi Wi Ei Stondards	Supported Voltage Range 44 to 57VDC Antennas 2.4 GHz (2) Dual-Port, Dual-	Buttons Reset Power Method 802.3at PoE+	Networking Interface (2) 10/100/1000 E-Ports	Wireless Uplink DFS Certification	Wall Mount	PoE Mode 802.3at PoE+	5 GHz Radio Rate 1733 Mbps 5 GHz MIMO 4x4	2.4 GHz Radio Rate 800 Mbps 2.4 GHz MIMO 4x4	(Covered) Simultaneous Dual-Band	Environment Indoor or Outdoor	Firm's Specifications
												06	Qty
		Traffic Isolation Support Smartphone application for remote Access management	Antennas, 4 dBi Concurrent Clients Support Minimum 500 or Higher	1733 Mbps 5 GHz (2) x Dual-Port, Dual-Polarity	Antennas, 3 dBi 5 GHz Ava MIMO Padio Minimum Pata	800 Mbps 2.4 GHz (2) Dual-Port. Dual-Polarity	ANTENNAS 2.4 GHz 4x4 MIMO Radio Minimum Rate	Power Save & Beam forming Supported	Networking Interface (2) x 10/100/1000 Ethernet Ports	Technology 802.3at PoE+ Compatibility	MIMO Four-Stream 802.11ac Wave 2	Simultaneous Dual-Band 4x4 Multi-User	Specs as per Tender Document
		2							support missing c) Concurrent client		a) Smart phone	Below Specification	Recommendation

Page 12 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

						02				
						Opells Tech				
Traffic Isolation Support Smartphone application for remote Access management	5 GHz (2) x Dual-Port, Dual- Polarity Antennas, 4 dBi Concurrent Clients Support Minimum 500 or Higher	2.4 GHz (2) Dual-Port, Dual-Polarity Antennas, 3 dBi 5 GHz 4x4 MIMO Radio Minimum Rate 1733 Mbps	ANTENNAS 2.4 GHz 4x4 MIMO Radio Minimum Bath 800 Minimu	Networking Interface (2) x 10/100/1000 Ethernet Ports Power Save & Beam forming	Technology 802.3at PoE+ Compatibility	Simultaneous Dual-Band 4x4 Multi-User MIMO Four-Stream 802.11ac Wave 2	Warranty: 2Years	Origin: USA	Product Code: UAP-AC-HD Brand:	Concurrent Clients 1000+
						06				
)			According to					

Page 13 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 921 6604

									solutions	03 IFAST	
Management Frames) Brand: cambium Model:E600 Origin: USA	Server • Active Directory Integration. WPA-TKIP, WPA2 AES, 802.1x 802.11w (Protected	server). • cnMaestro Controller • Stand-alone AP based • Redirection to external RADIUS	MAC authentication (local database or External RADIUS	802.1x including EAPSIM/AKA, EAP-PEAP, EAP-TTLS, and EAP-TLS	Secure Web page, RADIUS based	Concurrent Clients 512. Max Data Rate 1.73 Ghns (1.733 Mhns)	(2.4 GHZ), 4X4 (3 GHZ) MIMO streams. 250 m (800 Ft) Range.	h/d/r/u/w/ MIMO Streams 2x2	Other standards: 802.11	IEEE 802.11a/b/g/n/ac Wave 2	Model: LAPAC1200C
										06	
						specification		The state of the s			

Salar Salar

7

Page 14 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 06: PVC Duct.

S.#	Firm Name	Firm's Specifications	2	7:	
			QI.Y	specs as per render pocument	Kecommendation
01	Bin Aman Traders	Standard quality PVC duct of larger size(feet)	400ft		According to specification
		Brand: Adamjee			
02		Opells Tech Brand: popular(vertex 40*40 inch)	400ft	Standard quality PVC Duct, 40x40 mm	According to specification
03	iFAST solutions	PVC Duct patti Standard quality 40x40 mm- 400	400ft		According to specification
		Brand: Adamjee or Equivalent Origin: Pakistan			

Actual or and a sold

Page 15 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 07: UTP cable.

	0	#
	Bin Aman Traders	Firm Name
Diameter 1.16 ± 0.02 mm/Separation (Polyester Wrapping) Thick: 0.025 mm, Extent: 20 mm/Anti-Crosstalk Divider LDPE: 4.2*0.3 mm/Cable Shield (Aluminum Foil) Thick: 0.060 mm, Extent: 20 mm/ESD Drain Wire 0.4 TCRip Cord Yes/Secondary Cable Shield (Braid) 16*8*0.16AA Density: 95% Jacket Material PE Code: TC-CARRIER Cable TC-CON-100 Connector Brand: Ubiquiti Networks Origion: USAWarranty: 2Year	Outdoor Shielded Ethernet CableThe industrial-grade, Category 5e TOUGHCable™ protects your networks from the most brutal environments. Specification: Cable CAT5e, ShieldedEthernet Support Up to 1 GbpsConductor Wire Gauge 24 AWGConductor Solid Bare CopperConductor Diameter 0.500 ± 0.005 mmlnsulation Type Solid PElnsulation Thickness Avg. 0.295 mmMin. 0.29 mmlnsulation	Firm's Specifications
	2000ft	Qty
	Ethernet Support Up to 1 Gbps Conductor Wire Gauge 24 AWG Conductor Solid Bare Copper Insulation Type Solid PE Insulation Diameter 1.16 ± 0.02 mm Separation (Polyester Wrapping) Anti-Crosstalk Divider LDPE: 4.2*0.3 mm Cable Shield (Aluminum Foil) ESD Drain Wire 0.4 TC Jacket Material PE Reference Standard ISO/IEC 11801, TIA/EIA568B.2	Specs as per Tender Document
	According to specification	Recommendation

Sela make 10'

Page 16 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office	
Phone: +92 9	
+9291	
9216604	
	1

OutDoor Up to 1 Gbps Gauge 24 AWG Bare Copper Islid PE Isler 1.16 ± 0.02 mm Ster Wrapping) ider LDPE: 4.2*0.3 minum Foil) 4 TC E ard ISO/IEC 11801, ed Pair Cat 6A 23 2000ff	O3 iFAST Awg solutions Brand: D-link Model: CAT 6-A Origin: Taiwan	Opells Tech Cable Shielded-OutDoor Ethernet Support Up to 1 Gbps Conductor Wire Gauge 24 AWG Conductor Solid Bare Copper Insulation Type Solid PE Insulation Diameter 1.16 ± 0.02 mm Separation (Polyester Wrapping) Anti-Crosstalk Divider LDPE: 4.2*0.3 mm Cable Shield (Aluminum Foil) ESD Drain Wire 0.4 TC Jacket Material PE Reference Standard ISO/IEC 11801 TIA/EIA568B.2 Model: 3м/рнима/
		OutDoor Up to 1 Gbps Gauge 24 AWG Bare Copper Slid PE er 1.16 ± 0.02 mm ster Wrapping) ider LDPE: 4.2*0.3 minum Foil) # TC E ard ISO/IEC 11801,

Page 17 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 08: RJ-45 connectors.

J. #	Tilli Name	Firm's Specifications	Qty	Specs as per Tender Document
01	Bin Aman Traders	Connector RJ-45 shielded drain hook connector 100 PC connectors protect against ESD attacks and Ethernet hardware	100	
		damage Product code= TC-CON-100 connector		
			100	
02	Opells Tech	RJ 45 shielded drain hook connector	00	RJ 45 Shielded Drain Hook Connector
1		7. C. C. C. C. C.		
8	iFAST	Schnider Electric / AMP TYCO	100	

Situal a feered

P.

Page 18 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 09: Cabinet Rack

	(Lastille																												
																											01		S. #
																										Traders	Bin Aman		Firm Name
1.2mmOthers:1.2mmSize	bracket: 1.5mm, side door:	mounting rail: 2.0mmHorizontal	steelThickness: Frame and vertical	steelOthers: SPCC cold rolles	Material:Frame: SPCC cold rolled	DIN41491.Part1, Part7, DIN4144	ANSI/EIA RS-310-D, IEC297-2,	cabinetStandard:Comply with	for 800mm depth	and 2m single inputt power cord	loading capacityFan unit (4 fans	cabinetup to 800 kgs static	included for 800mm depth	vertical cable management	(below 32U 20 sets) 1 pair of	sets M6 cage nuts included	heavy duty castors included40	adjustable feet and 4 pcs of 2"	maintenance4 pcs of M12	easy installation and	panelremovable side doors for	cover and bottom	stabilitycable entry from the top	four corner to ensure the	CabinetFeatures:connected by	Years 42U Network Server	612x6142zBrand:OEMWarranty:2	Cabinet Rack Product Code:	Firm's Specifications
																											01		Qty
	IP-55 Powder Coating, Color:	Tool-less accessories,	Central grounding point	Bolt down brackets,	Rack mount 2U (Dual or More) Fan Kits,	for mounting,	screws + 50 x washers + 50 x cage nuts	feet and M6 screw pack with 50 x M6	Caster base (Castor base) , Leveling	brackets,	2 Rack PDU / 2 cable management	2 Sets 19" EIA rails,	feet,	entry Low profile caster and leveling	features Four 5.5" x 2" cutouts for cable	Cable Management : Top Roof	Solid split side panels, locking	split rear door, locking		Mounting depth (post to post): 34"	80" (h)	Overall Dimension : 24" (w) x 42" (d) x	Width = 19"	Depth = 39"	Height = 73.5"	Inside Dimension :	42U 19" Server Cabinet		Specs as per Tender Document
		1				7																	specification	According to					Recommendation

600*1000*2055 (W*D*H)mm

Page 19 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

03		02
solutions		Opells Tech
Network Racks (1U,2U, 4U, 12U, 42U) 42U 19" Server Cabinet Inside Dimension : H x D x W= 73.5" x 39" x 19" Mounting depth (post to post): 34" locking front door, split rear door, locking. Solid split side panels, locking Cable Management : Top Roof features Four 5.5" x 2" cutouts for cable entry. Low profile caster and leveling feet,, 2 Sets 19" EIA rails, Caster base (Castor base), Leveling feet and M6 screw pack with 50 x M6 screws. 50 x washers	19" server/Networking rack Cabinet (600*800*24U), 71% ventilated rate of the high-density vented door, heavy duty casters and leveling feet, removable side panels, designed for enhanced airflow, post to Post depth= 28", Four post depth adjustable rack system with 19" mounts and square holes, Perforated roof with capable entry access in the rear, Perforated front and rear locking doors, loaded with 8-slot PDU, cable manager.	CANBINET RACK:
01	01	
According to specification	According to specification	

Page 2

Page 20 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

+ 50 x cage nuts for mounting ,Rack mount 2U (Dual or More) Fan Kits, Bolt down brackets,, Central grounding point. Tool-less accessories, IP-55 Powder Coating, Color: Black Brand:MicrTech
re)

Shel wheeled

Page 21 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 10: Software.

0	# !
Bin Aman Traders	
Antivirus: Product: SKU-KL4863IAQFP Total Security Brand: Kaspersky License: 1Year Microsoft Office Product: Microsoft®Office 2019 Sngl Academic OLP 1License NoLevel SKU:021-10597 Office 2016 License: 1Year Windows: Microsoft®WindowsProfessional10 Kaspersky Endpoint Security for Business - Select Middle East Edition. 50-99 Node 1 year Public Sector License Total Security Blocks viruses, cryptolockers& other threats Protects payments, with bank-grade encryption* Secures passwords & images of personal documents Encrypts data you send & receive online	rim's specifications
50	Qty
Registered/Licensed Software Latest Antivirus Blocks viruses, cryptolockers, attacks & more Detection and removal of rootkits Prevents online trackers collecting your data* Detects spyware hiding on your Android device Protects payments, with bank- grade encryption* Blocks unauthorized access to your webcam* Encrypts data you send & receive online – VPN** protection from malware, webcam spies, financial scammers Defends against viruses, ransomware & Stops webcam hijacks & hides browsing on PC & Mac. Blocks phishing Secures your compatible devices in any combination easy to set up and use	Specs as per Tender Document
According to specification	Recommendation

Page 22 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR Office Phone: +92 91 9216604

								02								
							lech	Opells								
protection from malware, webcam spies,	Encrypts data you send & receive online – VPN**	Blocks unauthorized access to your webcam*	Protects payments, with bank-grade encryption*	Detects spyware hiding on your Android device	Detection and removal of rootkits Prevents online trackers collecting your data*	Blocks viruses, crypto lockers, attacks & more	Latest Antivirus	Registered/Licensed Software	ProfessionalMicrosoft®WindowsProfessional 10 Sngl OLP 1License NoLevel Legalization, GetGenuine	Window 10	Sngl Upgrade Academic OLP 1License NoLevel SKI1:FOC-10513	Microsoft®Office 2016 Sngl OLP 1License NoLevel	*PC and Mac only ** 200MB of data traffic protected per device, per day	Helps guard kids – advanced parental controls	Stops webcam spies watching you in your home*	VPN**
3							50									
)												Microsoft Office 16 Latest (50 Licenses).	(70 ECC1363).	Windows 10 Professional 32/64 Bit	
	/	N	1 Luna			specification										

Page 23 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

03	
iFAST solutions	
Registered/Licensed Software Latest Antivirus Blocks viruses, cryptolockers, attacks & more Detection and removal of rootkits Prevents online trackers collecting your data* Detects spyware hiding on your Android device Protects payments, with bank-grade encryption* Blocks unauthorized access to your webcam* Encrypts data you send & receive online – VPN** protection from malware, webcam spies,	financial scammers Defends against viruses, ransomware & Stops webcam hijacks & hides browsing on PC & Mac. Blocks phishing Secures your compatible devices in any combination (50 Licenses). Brand: KASPERSKY Windows 10 Professional 32/64 Bit(70 Licenses). Microsoft Office 16 Latest (50 Licenses).
50	70
According to specification	

Yes of a duly

(S)

Page 24 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Windows 10 Professional 32/64 Bit key (70 Licenses). Microsoft Office 16 Latest (50 Licenses). Brand: Macfee	Blocks phishing Secures your compatible devices in any combination easy to set up and use (50 Licenses).	Defends against viruses, ransomware & Stops webcam hijacks & hides browsing on PC & Mac.	financial company

Salah Marketing

J.

Page 25 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 11: Network troubleshooting Tools Kits.

			I lustic box bug		-
			Crystal Connectors (10pcs)		
_			Card knife		
			knife Stripping pliers knife. Knife		
			Crimping pliers Wire stripping		
			telephone line) with Led Display		
			twin twisted cable, coaxial cable,		
	Plastic Box Bag		Connections, Lengths of STP / UTP		
	Crystal Connectors (10pcs)		Network tester (Tests: Cables		
	Card knife	02	Flat screwdriver:	Opells Tech	02
	Knife		Cross screwdriver		
	Stripping pliers knife				
	Wire stripping knife		. Bag		
	Crimping pliers		. Plastic Box		
	telephone line) with Led Display		. Crystal Connectors (10pcs)		
	twisted cable, coaxial cable,		. Card knife		
š.	Connections, Lengths of STP / UTP twin		. Knife		
	Network tester (Tests: Cables		. Stripping pliers knife		
	Flat screwdriver:		. Wire stripping knife		
	Cross screwdriver		. Crimping pliers		
			telephone line) with Led Display		
			twin twisted cable, coaxial cable,		
			Connections, Lengths of STP / UTP		
			. Network tester (Tests: Cables		
			. Flat screwdriver:		
			. Cross screwdriver	Traders	
		02	Brand: OEM	Bin Aman	01
	Specs as per Tender Document	Q _V	Firm's Specifications	Firm Name	S. #

Page 26 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 921 6604

	03
	iFAST solutions
	Cross screwdriver Flat screwdriver: Network tester (Tests: Cables Connections, Lengths of STP / UTP twin twisted cable, coaxial cable, telephone line) with Led Display Crimping pliers Wire stripping knife Stripping pliers knife Knife Card knife Card knife Crystal Connectors (10pcs) Plastic Box Bag
	02
.)	According to specification

And a the Page 27 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 12: Power Cable.

			Brand: Fast cable or equivalent	solutions	
According to specification		1000ft	7/29 Power Cable Pure Copper Best Quality Single Core	iFAST	03
			Brand:Allied/Fast		
specification	1/29 Power Cable Pure Copper Best Quality Single Core	1000ft	7/29 Power Cable Pure Copper Best Quality Single Core	Opells Tech	02
According to					
			Brand: Pakistan cable		
7		000	Best Quality Single Core (feet)	Traders	-
According to specification		1000ff	7/20 Power Oable Pline Copper	Rin Amon	2
Recommendation	Specs as per Tender Document	Qty	Firm's Specifications	Firm Name	S. #

Salue moderne film Page 28 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +9291 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 13: Patch Cords.

			Brand: D-Link		
			Shielded Jacks (3 MTR) Patch Cords Branded 1/1,5 M	solutions	
According to specification		10	UTP Patch cords, branded, with	iFAST	03
According to specification	Patch Cords Branded 1/1,5 M	10	Opells Tech Patch Cords Branded 1/1,5 M	Opells Tech	02
According to specification		10	Patch Cords Branded 1/1,5 M UTP CAT-6 24 AWG Brand =schnieder	Bin Aman Traders	01
Recommendation	Specs as per Tender Document	Qty	Firm's Specifications	Firm Name	S. #

Sakad marker of the Or

Page 29 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 14: I/O Jacks.

03	02	01	S. #
iFAST solutions	Opells Tech	Bin Aman Traders	Firm Name
I/O Jack/Back Box Face Plate 10/100/1000 Jacks Category 6A 180° Shielded Diecasting Keystone Jack, Slim Type, 10G Supported, Dual Shutter Faceplate Flame Retardant plastic with Back box Brand: Schnider	100/1000 MbpsRJ45 i/o Jack with Back Box and face Plate Brand: AMP	100/1000 Mbps RJ45 i/o Jack with Back Box and face Plate Brand =schnieder	Firm's Specifications
10	10	10	Qty
	Box and face Plate		Specs as per Tender Document
According to specification	According to specification	According to specification	Recommendation

Page 30 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 921 6604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 15: Labour Charges.

03	02	01	S. #
iFAST solutions	Opells Tech	Bin Aman Traders	Firm Name
Duct Installation Cable (UTP and Power cable) Installation Rack installation nstallation of connectors & internet Connectivity.	Duct Installation Cable(UTP and Power cable) Installation Rack installation Installation of connectors & internet Connectivity.	Duct installation cable (UTP and power cable) installation Rack installation Installation of connector and internet connectivity	Firm's Specifications
01	01	01	Qty
	Duct Installation Cable(UTP and Power cable) Installation Rack installation Installation of connectors & internet Connectivity.		Specs as per Tender Document
specification	According to specification According to	According to specification	Recommendation

Page 31 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Comparative statement for Purchase/Installation of ICT/Networking at Swat Campus

Item No. 16: Power Sockets/Connections/Buttons.

03 iFAST solutions	02 Ope	01 Bin Am	S. # Firm
ons	ells Tech	Bin Aman Traders	Firm Name
Power Sockets / Connections/ buttons	Opells Tech BUTTON Brand: Netlink	Power Sockets / Connections/ buttons	Firm's Specifications
10	10	10	Qty
	Power Sockets / Connections/ buttons		Specs as per Tender Document
According to specification	According to specification	According to specification	Recommendation

A de la de la constante de la

Page 32 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

Comparative Statement for Purchase/Installation of ICT/Networking at Swat Campus Combined Technical/Financial Marking by the Approved Committee

μ	.2	ï		Ą
After sale service facilities in Pakistan i. Workshop in Peshawar ii. Workshops other than Peshawar 2 Marks	Head Office and Sub offices i. Head Office at Peshawar 5 Marks ii. Nationwide Head office/sub offices 2 Marks/office	No of Technical Staff / Engineers i. C/S I.T 2 Marks per staff ii. Electronics 2 Marks per staff iii. B.Sc Engineering 2 Marks per staff iv. DAE/Certified Network Associate 1 Mark per staff		Technical
10 Marks	10 Marks	10 Marks		Technical Marks60%
No workshop	Only head office at peshawar is confirmed	08 degrees provided	As per Tender Doc	OPEL
6	05	10	Marks (Actual/Final)	OPELLS TECH
No workshop	Only head office at peshawar is confirmed	08 degrees provided	As per Tender Doc	Obtain BIN AM
0	05	10	Marks (Actual/Final)	Obtained Marks BIN AMAN TRADERS
No workshop	Only head office at peshawar is confirmed	No degrees provided	As per Tender Doc	IFast Sc
New o	05	0	Marks (Actual/Final)	IFast Solutions

Page 33 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR
Office Phone: +92 91 921 6604

					4				
	ζ.		Ħ		≓			(in N	Noa
Mark/project	Project Cost (0.5M to 1M)	Marks/project	Project Cost (above 1 M to 5M)	Marks/project	Project Cost (above 5M to 10M)	Marks/project	 Project Cost (above 10M) 	(in Millions=M)	No and cost of the similar projects in last 03 years
			5M)		10M)				ts in la
	ш		2		ω		4		st 03 years
					10				
		-	į.	iii.	ii.				
			=(0)=0	=(1)=2	=(2)=6	=(1)=4			
				10	3				
				0	>				
				•	>				
		1							
)		i ii	: ::	i			
_			C	0	0	=(1)=4			

Page 34 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

C	В.	Ą																		5.
Grand Total	Financial	Total Obtained Technical marks					e) Previous client certificate	authorization letter	d) Registration with relevant body/	c) Equipment specification			profile and Bio data	ii. Presentation 10 Marks	d) Display and Control	c) Technical staff soundness	b) Relevant Equipment	ation and deployment	i. Demonstration 10 Marks	Soundness of the Technical Proposal12 Marks
100%	40 %	60%						20 Marks										60%	Marks	Technical
				e=0	d=2	c=2	b=2	a=2	= :	e=2	d=2	c=2	b=2	a=0	-	tender	As per	OFFE	000	
		41	=16		Ox	0				+		(x			Final	Actual/	OFELS IECH	CTECH	
			,	e=0	d=1	C=1	b=0	a=1	= :	e=1	d=2	c=1	b=2	a=0	-	tender	As per	BINAI		0
		24	=09		u	3				+		•	ת				Actual/Final	BIN AMAN IKADERS		Obtained Marks
			(ρ=0	d=1	C=1	b=2	a=1	F	e=1	d=0	c=2	b=1	a=0	-		As per tender	lFast S		
		18	=09		5	1				+		4	_				Actual/Final	lFast Solutions		

Findings/Recommendations:

The firm M/S Bin Aman stands disqualified on the following grounds:

1. No relevant project within 2 years

No valid authorization letters for active components i.e

ServerAccess point & passive component i.e UTP cable, Ethernet connectors

Page 35 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

S.
The firn
n provide
d low sp
rm provided low specifications in the following
in the f
ollowing
major a
ajor active items

- Laptop
 - **Dekstop Computers**
- Access points

The firm M/S iFast stands disqualified on the following grounds:

- The firm failed to provide 2 relevant projects in last 2 years.
- The firm failed to provide valid authorization letters.

ω N

- The firm provided low specifications in the following major active items:
- Laptop
- Desktop
- Access point

The firm M/S OPELLS TECH has been recommended for the supply and installation of the following ICT/NETWORKING SYSTEM at Swat

1) NETWORK Switch (Quantity=01) 2) Server Computer (Quantity=01) 4) Branded desktop computer (Quantity=01) 5) Access Point (Quantity=06) 6) P 7) UTP Cable (Quantity=2000 ff) 9) Power sockets/connections/buttons(Quantity=10) 10) Cabinet Rack (Quantity=01) 12) Network troubleshooting kit (Quantity=02) 13) RJ-45 connectors (Quantity=01) 15) I/O jack (Quantity=10)
2) Server Computer (Quantity=01) 3) Laptop (Quantity=01) 5) Access Point (Quantity=06) 6) PVC duct (Quantity=400 ft) 8) Power cable (Quantity=1000 ft) 11) Cabinet Rack (Quantity=01) 11) Software (Quantity=170) 13) RJ-45 connectors (Quantity=01 pack) 14)Patch cords (Quantity=10) 16) Labour charges (Quantity= Lump sum)

6).Mr.PazirMuhammad (Co-opted) 3) Mr. Ehsanullah: (Member) 1) Prof. Dr. Yousaf Hayat (Convener Technical Committee: 4) Mr. Mujahiduddin Shaheed Ullah (Co-opted): 2) Mr. Gohar Rehman: (Member) 5) Mr. Salahuddin (Member)

Page 36 of 37



THE UNIVERSITY OF AGRICULTURE, PESHAWAR

Office Phone: +92 91 9216604

8) Mr.WasimAkram (Co-opted): Wolk of the plant of the pla
10.
,
2) Dr Ihtisham:
Co- appeal woundrew.
5)Mr. Tahseenullah: 6)Mr. Salah ud Din Sahah wake wake wake was a salah ud Din Sahah wake wake was a salah wake wake was a salah wake wake was a salah wake wake wake wake wake wake wake wake
7) Dr. Amjad: Co-optical 8) Dr Sarzmin: Co-optical 9) Mr. javed Iqbal:

Vice Chancellor Please: